

Walk-in Coolers

MODELS:

AWC0606-TF / AWC0608-TF / AWC0808-TF
AWC0810-TF / AWC1010-TF / AWC1012-TF

Standard Features

- White exterior & interior
- 20% more efficient than any walk-in series on the market
- Available in nominal sizes from 6' x 6' up to 10' x 12', all 7'7" high with floor standard (indoor models only)
- Foamed-in-place 4" panels with cam locks
- Top-mount drop in refrigeration system, with low noise level and R448A refrigerant (overall height is 10' with condenser installed, recommend ceiling height 11')
- 3 spring loaded heavy duty Kason door hinges standard
- 36" door with diamond tread kick plates and heated frames standard
- Heavy duty Kason door closer
- Heavy duty Kason door handle with lock and inside safety release
- Exterior ramp standard
- Digital LED light standard
- Reinforced floor standard
- 48" ceiling mount LED standard
- Coolers maintain 33 °F - 38 °F



For the best results of food preservation we recommend setting your refrigerator between 33°F to 38 °F

1. Don't forget to leave the unit some room to breathe!
2. Please clean the condenser frequently to give the unit more fresh air.



10 YEAR PANEL WARRANTY
5 YEAR REFRIGERATION WARRANTY
1 YEAR HARDWARE WARRANTY




KEG OUTLET

SPECIFICATIONS

Models	Rated Current (A)	Voltage (V/Hz/Ph)	HP	Refrigerant	Exterior Dimensions (inch)	Condensing Unit Weight (lbs)	Evaporator Weight (lbs)	Panel Weight (lbs)
AWC0606-TF	40	230/60/1	1.5	R448A	72" x 72" x 117"	216	218	948
AWC0608-TF	40	230/60/1	1.5	R448A	72" x 96" x 117"	216	218	1120
AWC0808-TF	40	230/60/1	1.5	R448A	96" x 96" x 117"	216	218	1318
AWC0810-TF	40	230/60/1	1.5	R448A	96" x 120" x 117"	216	218	1517
AWC1010-TF	40	230/60/1	1.5	R448A	120" x 120" x 117"	216	218	1743
AWC1012-TF	40	230/60/1	3	R448A	120" x 144" x 117"	243	218	1967


PLAN VIEW




KEG OUTLET

SHELVING UNITS CONFIGURATION


AWC0606-TF




AWC0810-TF




AWC1010-TF



AWC0608-TF



AWC0808-TF



AWC1012-TF

